


lemový kroužek PN10
na základě DIN 2642

[zkratka označení: CUBÖ.S*](#)



technický list výrobku

DN	d1	s1	s2	h	D	Art.-Nr.
15	15,0	1,5	2,0	8	45	CUBÖ-015X15S
15	18,0	1,5	2,0	8	45	CUBÖ-018X15S
15	21,3	1,5	2,0	9	45	CUBÖ-021X15S
15	21,3	2,0	3,0	9	45	CUBÖ-021X20S
20	22,0	1,5	2,0	10	58	CUBÖ-022X15S
20	25,0	2,0	2,5	12	58	CUBÖ-025X20S
20	26,0	3,0	3,0	12	58	CUBÖ-026X30S
20	26,9	2,0	2,5	12	58	CUBÖ-026X20S
20	27,0	3,5	4,0	12	58	CUBÖ-027X35S
25	30,0	1,5	2,0	12	68	CUBÖ-030X15S
25	30,0	2,0	2,5	12	68	CUBÖ-030X20S
25	32,0	3,5	4,0	15	68	CUBÖ-032X35S
25	33,7	2,0	2,5	12	68	CUBÖ-033X20S
25	33,7	2,5	3,0	13	68	CUBÖ-033X25S
25	33,7	3,0	4,0	13	68	CUBÖ-033X30S
32	35,0	1,5	2,5	13	78	CUBÖ-035X15S
32	35,0	2,0	2,5	13	78	CUBÖ-035X20S
32	36,0	2,0	2,5	14	78	CUBÖ-036X20S
32	38,0	2,0	2,5	14	78	CUBÖ-038X20S
32	38,0	3,0	4,0	14	78	CUBÖ-038X30S
32	42,4	3,0	4,0	16	78	CUBÖ-042X30S
32	43,0	3,5	4,0	15	78	CUBÖ-043X35S
40	42,0	1,5	2,0	16	88	CUBÖ-042X15S
40	42,0	2,0	3,0	16	88	CUBÖ-042X20S
40	44,5	2,0	2,5	17	88	CUBÖ-044X20S
40	48,3	2,0	2,5	17	88	CUBÖ-048X20S
40	48,3	3,5	4,0	17	88	CUBÖ-048X35S
40	48,3	4,0	4,0	17	88	CUBÖ-048X40S
50	50,0	4,0	4,0	17	88	CUBÖ-050X40S
50	54,0	2,0	2,5	19	102	CUBÖ-054X20S
50	55,0	3,5	4,0	22	102	CUBÖ-055X35S
50	57,0	2,0	2,5	18	102	CUBÖ-057X20S
50	57,0	2,5	3,0	18	102	CUBÖ-057X25S
50	57,0	3,0	3,0	18	102	CUBÖ-057X30S
50	57,0	4,0	4,0	20	102	CUBÖ-057X40S
50	58,0	4,0	4,0	20	102	CUBÖ-058X40S

DN	d1	s1	s2	h	D	Art.-Nr.
50	60,3	2,5	4,0	18	102	CUBÖ-060X25S
50	60,3	3,0	4,0	20	102	CUBÖ-060X30S
65	64,0	2,0	2,5	18	122	CUBÖ-064X20S
65	76,0	2,0	2,5	21	122	CUBÖ-076X20S
65	76,0	2,5	3,0	21	122	CUBÖ-076X25S
65	76,1	3,5	4,0	21	122	CUBÖ-076X35S
65	79,0	4,0	4,0	23	122	CUBÖ-079X40S
80	80,0	2,0	2,5	21	138	CUBÖ-080X20S
80	84,0	2,0	2,5	22	138	CUBÖ-084X20S
80	85,0	2,5	3,0	22	138	CUBÖ-085X25S
80	88,9	3,5	4,0	21	138	CUBÖ-088X35S
80	89,0	2,0	2,5	21	138	CUBÖ-089X20S
80	89,0	2,5	3,0	21	138	CUBÖ-089X25S
80	89,0	3,2	4,0	23	138	CUBÖ-089X32S
80	89,0	4,0	4,0	23	138	CUBÖ-089X40S
100	108,0	2,0	2,5	28	160	CUBÖ-108X20S
100	108,0	2,5	3,0	28	160	CUBÖ-108X25S
100	108,0	3,0	3,0	28	160	CUBÖ-108X30S
100	108,0	4,0	4,0	28	160	CUBÖ-108X40S
100	114,3	2,5	3,0	23	160	CUBÖ-114X25S
100	114,3	3,0	3,0	22	160	CUBÖ-114X30S
100	114,3	3,5	4,0	24	160	CUBÖ-114X35S
100	114,3	4,0	4,0	28	160	CUBÖ-114X40S
125	133,0	4,0	4,0	26	188	CUBÖ-133X40S
150	154,0	2,0	2,5	25	212	CUBÖ-154X20S
150	156,0	3,0	3,0	26	212	CUBÖ-156X30S
150	159,0	3,0	3,0	30	212	CUBÖ-159X30S
150	159,0	4,0	4,0	28	212	CUBÖ-159X40S
150	168,3	3,0	3,0	28	212	CUBÖ-168X30S
150	168,3	3,5	4,0	28	212	CUBÖ-168X35S
150	168,3	4,0	4,0	28	212	CUBÖ-168X40S
200	204,0	2,0	2,5	30	270	CUBÖ-204X20S
200	205,0	2,5	3,0	30	270	CUBÖ-205X25S
200	219,1	3,5	4,0	30	270	CUBÖ-219X35S
250	267,0	2,5	2,5	30	320	CUBÖ-267X25S
250	267,0	3,0	3,0	29	320	CUBÖ-267X30S
250	267,0	4,0	4,0	30	320	CUBÖ-268X40S
300	308,0	4,0	4,0	35	370	CUBÖ-308X40S
300	323,9	3,0	3,0	35	370	CUBÖ-323X30S
300	323,9	4,0	4,0	35	370	CUBÖ-323X40S
350	355,6	4,0	4,0	35	430	CUBÖ-355X40S
350	356,0	3,0	3,0	35	430	CUBÖ-356X30S
350	368,0	4,0	4,0	35	430	CUBÖ-368X40S
500	508,0	4,0	4,0	35	585	CUBÖ-508X40S

dostupné jakosti: na poptávku

Přivařovací fitinky > lemové kroužky > zvláštní materiály > měď

předem svařenábördel lemem z Měď'

Materiál-č.

2.0090

DIN

SF Cu

EN 1652

DHP R220

Tvrđost

F22 (weich)

