


Geschw. Rohr EN 10217-7

[Kurzbezeichnung: RO\\*](#)

Tol. EN 1127 D3/T3



## Technisches Produktblatt

D	s	kg	Art.-Nr.
3,0	0,5	0,031	RO-003-005
4,0	0,5	0,037	RO-004-005
5,0	1,0	0,100	RO-005-010
6,0	1,0	0,125	RO-006-010
8,0	1,0	0,715	RO-008-010
10,0	1,0	0,225	RO-010-010
10,0	1,5	0,319	RO-010-015
10,0	2,0	0,400	RO-010-020
12,0	1,0	0,275	RO-012-010
12,0	1,5	0,394	RO-012-015
12,0	2,0	0,502	RO-012-020
13,0	1,0	0,300	RO-013-010
13,0	1,5	0,432	RO-013-015
14,0	1,0	0,326	RO-014-010
14,0	1,5	0,470	RO-014-015
14,0	2,0	0,601	RO-014-020
15,0	1,0	0,351	RO-015-010
15,0	1,5	0,507	RO-015-015
15,0	2,0	0,651	RO-015-020
16,0	1,0	0,376	RO-016-010
16,0	1,5	0,545	RO-016-015
16,0	2,0	0,701	RO-016-020
18,0	1,0	0,426	RO-018-010
18,0	1,5	0,620	RO-018-015
18,0	2,0	0,801	RO-018-020
20,0	1,0	0,476	RO-020-010
20,0	1,5	0,695	RO-020-015
20,0	2,0	0,904	RO-020-020
22,0	1,0	0,530	RO-022-010
22,0	1,5	0,770	RO-022-015
22,0	2,0	1,002	RO-022-020
24,0	1,0	0,588	RO-024-010
24,0	2,0	1,102	RO-024-020
25,0	1,0	0,601	RO-025-010
25,0	1,5	0,883	RO-025-015
25,0	2,0	1,152	RO-025-020

D	s	kg	Art.-Nr.
25,0	2,5	1,409	RO-025-025
28,0	1,0	0,676	RO-028-010
28,0	1,5	0,995	RO-028-015
28,0	2,0	1,302	RO-028-020
30,0	1,0	0,726	RO-030-010
30,0	1,5	1,070	RO-030-015
30,0	2,0	1,402	RO-030-020
30,0	2,5	1,722	RO-030-025
30,0	3,0	2,028	RO-030-030
32,0	1,0	0,800	RO-032-010
32,0	1,5	1,146	RO-032-015
32,0	2,0	1,502	RO-032-020
35,0	2,0	1,653	RO-035-020
35,0	2,5	2,035	RO-035-025
35,0	3,0	2,403	RO-035-030
36,0	2,0	2,097	RO-036-020
38,0	1,0	0,926	RO-038-010
38,0	1,5	1,371	RO-038-015
38,0	2,0	1,803	RO-038-020
38,0	3,0	2,629	RO-038-030
40,0	1,0	0,977	RO-040-010
40,0	1,5	1,500	RO-040-015
40,0	2,0	2,128	RO-040-020
40,0	2,5	2,348	RO-040-025
40,0	3,0	2,779	RO-040-030
44,5	1,5	1,615	RO-044-015
44,5	2,0	2,128	RO-044-020
44,5	2,6	2,782	RO-044-026
44,5	3,0	3,118	RO-044-030
50,0	1,5	1,830	RO-050-015
50,0	2,0	2,404	RO-050-020
51,0	2,0	2,454	RO-051-020
51,0	2,6	3,160	RO-051-026
52,0	1,0	1,280	RO-052-010
52,0	1,5	1,897	RO-052-015
52,0	2,0	2,504	RO-052-020
54,0	1,5	1,980	RO-054-015
54,0	2,0	2,604	RO-054-020
55,0	1,5	2,010	RO-055-015
55,0	2,0	2,658	RO-055-020
57,0	1,5	2,085	RO-057-015
57,0	2,0	2,754	RO-057-020
57,0	3,0	4,069	RO-057-030
63,5	1,6	2,480	RO-063-016
63,5	2,0	4,545	RO-063-020
63,5	2,6	3,965	RO-063-026
64,0	2,0	3,105	RO-064-020
69,0	2,0	3,355	RO-069-020
70,0	2,0	3,405	RO-070-020
70,0	2,9	4,873	RO-070-029
73,0	1,5	2,686	RO-073-015
75,0	2,5	4,539	RO-075-025
80,0	2,0	3,919	RO-080-020
84,0	2,0	4,120	RO-084-020
85,0	2,0	4,156	RO-085-020
101,6	2,0	4,988	RO-101-020
101,6	3,0	7,527	RO-101-030
101,6	4,0	9,807	RO-101-040

D	s	kg	Art.-Nr.
104,0	2,0	5,108	RO-104-020
108,0	2,0	5,308	RO-108-020
108,0	3,0	7,888	RO-108-030
133,0	2,0	6,600	RO-133-020
133,0	3,0	9,800	RO-133-030
133,0	4,0	12,991	RO-133-040
154,0	2,0	7,612	RO-154-020
159,0	2,0	7,862	RO-159-020
159,0	3,0	11,760	RO-159-030
159,0	4,0	15,524	RO-159-040

Verfügbare Werkstoffe: 1.4301, 1.4404, 1.4541, 1.4571

Montagematerial > Rohre > rund > geschweißt > Leitungsrohre > weitere ... > ungeglüht

\*Tipp: Die Eingabe der [Kurzbezeichnung](#) in das Suchfeld auf unserer Website ermöglicht Ihnen den Direktauftrag einer Artikelgruppe. Alternativ [hier klicken](#)