

reducer, concentric

straight, welded

acc. to DIN EN 10253-3

short name: RK.X*



technical product sheet

D	D2	s	L	Ausf	Art.-Nr.
30,0	25,0	2,0	50	gepresst	RKOZ-030-025X20-4
35,0	23,0	2,0	36	gepresst	RKOZ-035-023X20-4
35,0	28,0	2,0	21	gepresst	RKOZ-035-028X20-4
36,0	19,0	2,0	50	gepresst	RKOZ-036-019X20-4
38,0	20,0	2,0	50	gepresst	RKOZ-038-020X20-4
38,0	25,0	2,0	50	gepresst	RKOZ-038-025X20-4
38,0	30,0	2,0	50	gepresst	RKOZ-038-030X20-4
44,0	29,0	2,0	64	gepresst	RKOZ-044-029X20-4
44,5	28,0	2,0	64	gepresst	RKOZ-044-028X20-4
44,5	36,0	2,0	64	gepresst	RKOZ-044-036X20-4
54,0	28,0	2,0	76	gepresst	RKOZ-054-028X20-4
54,0	35,0	2,0	76	gepresst	RKOZ-054-035X20-4
57,0	28,0	2,0	76	gepresst	RKOZ-057-028X20-4
57,0	30,0	2,5	76	gepresst	RKOZ-057-030X25-4
57,0	38,0	3,0	76	gepresst	RKOZ-057-038X30-4
57,0	44,5	2,0	76	gepresst	RKOZ-057-044X20-4
63,5	50,0	2,0	75	gepresst	RKOZ-063-050X20-4
64,0	35,0	2,0	76	gepresst	RKOZ-064-035X20-4
64,0	54,0	2,0	76	gepresst	RKOZ-064-054X20-4
70,0	52,0	2,0	90	gepresst	RKOZ-070-052X20-4
84,0	50,0	2,0	90	gepresst	RKOZ-084-050X20-4
84,0	63,5	1,5	50	gepresst	RKOZ-084-063X15-4L050
85,0	54,0	2,0	90	gepresst	RKOZ-085-054X20-4
101,6	69,0	2,0	100	Abwicklung	RKOZ-101-069X20-4
104,0	44,5	2,0	100	Abwicklung	RKBL-104-044X20-4
106,0	57,0	2,0	100	Abwicklung	RKBL-106-057X30-4
108,0	44,5	2,0	100	Abwicklung	RKBL-108-044X20-4
108,0	54,0	2,0	100	gepresst	RKOZ-108-054X20-4
108,0	57,0	2,0	100	gepresst	RKOZ-108-057X20-4
108,0	70,0	2,0	100	Abwicklung	RKBL-108-070X20-4
108,0	101,6	2,0	100	gepresst	RKOZ-108-101X20-4
129,0	54,0	2,0	127	Abwicklung	RKBL-129-054X20-4
129,0	69,0	2,0	127	Abwicklung	RKBL-129-069X20-4
129,0	108,0	3,0	127	gepresst	RKOZ-129-108X30-4
131,0	106,0	3,0	127	Abwicklung	RKBL-131-106X30-4
133,0	104,0	2,0	127	gepresst	RKOZ-133-104X20-4

D	D2	s	L	Ausf	Art.-Nr.
133,0	108,0	2,6	127	gepresst	RKOZ-133-108X26-4
133,0	108,0	3,0	127	Abwicklung	RKBL-133-108X30-4
133,0	108,0	4,0	127	Abwicklung	RKBL-133-108X40-4
150,0	306,0	3,0	203	Abwicklung	RKBL-315-306X30-4
154,0	28,0	2,0	140	Abwicklung	RKBL-154-028X20-4
154,0	40,0	2,0	140	Abwicklung	RKBL-154-040X20-4
154,0	52,0	2,0	140	Abwicklung	RKBL-154-052X20-4
154,0	54,0	2,0	140	Abwicklung	RKBL-154-054X20-4
154,0	69,0	2,0	140	Abwicklung	RKBL-154-069X20-4
154,0	70,0	2,0	140	Abwicklung	RKBL-154-070X20-4
154,0	84,0	2,0	140	Abwicklung	RKBL-154-084X20-4
154,0	101,6	2,0	140	gepresst	RKOZ-154-101X20-4
154,0	108,0	2,0	140	Abwicklung	RKBL-154-108X20-4
154,0	108,0	2,0	140	gepresst	RKOZ-154-108X20-4
154,0	129,0	2,0	140	Abwicklung	RKBL-154-129X20-4
154,0	133,0	2,6	140	gepresst	RKOZ-154-133X26-4
156,0	86,0	3,0	140	Abwicklung	RKBL-156-086X30-4
156,0	106,0	3,0	140	Abwicklung	RKBL-156-106X30-4
156,0	108,0	3,0	140	Abwicklung	RKBL-156-108X30-4
156,0	131,0	3,0	140	Abwicklung	RKBL-156-131X30-4
158,0	108,0	4,0	140	Abwicklung	RKBL-158-108X40-4
159,0	54,0	3,0	140	Abwicklung	RKBL-159-054X30-4
159,0	57,0	3,0	140	Abwicklung	RKBL-159-057X30-4
159,0	104,0	2,0	140	Abwicklung	RKBL-159-104X20-4
159,0	104,0	3,0	140	Abwicklung	RKBL-159-104X30-4
159,0	108,0	2,6	140	gepresst	RKOZ-159-108X26-4
159,0	108,0	4,0	140	Abwicklung	RKBL-159-108X40-4
159,0	129,0	2,0	140	gepresst	RKOZ-159-129X20-4
159,0	129,0	3,0	140	Abwicklung	RKBL-159-129X30-4
159,0	133,0	2,0	140	Abwicklung	RKBL-159-133X20-4
159,0	133,0	2,6	140	gepresst	RKOZ-159-133X26-4
159,0	133,0	3,0	140	Abwicklung	RKBL-159-133X30-4
159,0	133,0	4,0	140	Abwicklung	RKBL-159-133X40-4
204,0	84,0	2,0	152	Abwicklung	RKBL-204-084X20-4
204,0	85,0	2,0	152	Abwicklung	RKBL-204-085X20-4
204,0	101,6	2,0	152	Abwicklung	RKBL-204-101X20-4
204,0	104,0	2,0	152	Abwicklung	RKBL-204-104X20-4
204,0	104,0	3,0	152	Abwicklung	RKBL-204-104X30-4
204,0	108,0	2,0	152	Abwicklung	RKBL-204-108X20-4
204,0	129,0	2,0	152	Abwicklung	RKBL-204-129X20-4
204,0	154,0	2,0	152	Abwicklung	RKBL-204-154X20-4
205,0	105,0	2,5	152	Abwicklung	RKBL-205-105X25-4
206,0	50,0	2,0	152	Abwicklung	RKBL-206-050X20-4
206,0	50,0	3,0	152	Abwicklung	RKBL-206-050X30-4
206,0	54,0	2,0	152	Abwicklung	RKBL-206-054X20-4
206,0	80,0	2,0	152	Abwicklung	RKBL-206-080X20-4
206,0	84,0	2,0	152	Abwicklung	RKBL-206-084X20-4
206,0	104,0	3,0	152	Abwicklung	RKBL-206-104X30-4
206,0	106,0	3,0	152	Abwicklung	RKBL-206-106X30-4
206,0	129,0	2,0	152	Abwicklung	RKBL-206-129X20-4
206,0	131,0	3,0	152	Abwicklung	RKBL-206-131X30-4
206,0	154,0	2,0	152	Abwicklung	RKBL-206-154X20-4
206,0	156,0	3,0	152	Abwicklung	RKBL-206-156X30-4
250,0	100,0	3,0	178	Abwicklung	RKBL-250-100X30-4
250,0	204,0	2,0	178	Abwicklung	RKBL-250-204X20-4
254,0	104,0	2,0	178	Abwicklung	RKBL-254-104X20-4
254,0	108,0	2,0	178	Abwicklung	RKBL-254-108X20-4
254,0	129,0	2,0	178	Abwicklung	RKBL-254-129X20-4

D	D2	s	L	Ausf	Art.-Nr.
254,0	150,0	2,0	178	Abwicklung	RKBL-254-150X20-4
254,0	154,0	2,0	178	Abwicklung	RKBL-254-154X20-4
254,0	155,0	2,0	178	Abwicklung	RKBL-254-155X20-4
254,0	159,0	2,0	178	Abwicklung	RKBL-254-159X20-4
254,0	204,0	2,0	178	Abwicklung	RKBL-254-204X20-4
254,0	204,0	3,0	178	Abwicklung	RKBL-254-204X30-4
254,0	204,0	4,0	178	Abwicklung	RKBL-254-204X40-4
256,0	80,0	2,0	178	Abwicklung	RKBL-256-080X20-4
256,0	80,0	3,0	178	Abwicklung	RKBL-256-080X30-4
256,0	106,0	3,0	178	Abwicklung	RKBL-256-106X30-4
256,0	154,0	2,0	178	Abwicklung	RKBL-256-154X20-4
256,0	154,0	3,0	178	Abwicklung	RKBL-256-154X30-4
256,0	156,0	3,0	178	Abwicklung	RKBL-256-156X30-4
256,0	159,0	3,0	178	Abwicklung	RKBL-256-159X30-4
256,0	206,0	3,0	178	Abwicklung	RKBL-256-206X30-4
258,0	158,0	4,0	178	Abwicklung	RKBL-258-158X40-4
258,0	208,0	4,0	178	Abwicklung	RKBL-258-208X40-4
267,0	159,0	3,0	178	Abwicklung	RKBL-267-159X30-4
270,0	208,0	2,0	280	Abwicklung	RKBL-270-208X20-4
304,0	28,0	4,0	203	Abwicklung	RKBL-304-028X40-4
304,0	129,0	2,0	203	Abwicklung	RKBL-304-129X20-4
304,0	154,0	2,0	203	Abwicklung	RKBL-304-154X20-4
304,0	204,0	2,0	203	Abwicklung	RKBL-304-204X20-4
304,0	204,0	3,0	203	Abwicklung	RKBL-304-204X30-4
304,0	254,0	2,0	203	Abwicklung	RKBL-304-254X20-4
304,0	254,0	3,0	203	Abwicklung	RKBL-304-254X30-4
304,0	254,0	4,0	203	Abwicklung	RKBL-304-254X40-4
304,0	267,0	2,0	203	Abwicklung	RKBL-304-267X20-4
306,0	104,0	2,0	203	Abwicklung	RKBL-306-104X20-4
306,0	106,0	3,0	203	Abwicklung	RKBL-306-106X30-4
306,0	108,0	3,0	203	Abwicklung	RKBL-306-108X30-4
306,0	154,0	2,0	203	Abwicklung	RKBL-306-154X20-4
306,0	154,0	3,0	203	Abwicklung	RKBL-306-154X30-4
306,0	156,0	3,0	203	Abwicklung	RKBL-306-156X30-4
306,0	159,0	3,0	203	Abwicklung	RKBL-306-159X30-4
306,0	204,0	2,0	203	Abwicklung	RKBL-306-204X20-4
306,0	204,0	3,0	203	Abwicklung	RKBL-306-204X30-4
306,0	206,0	3,0	203	Abwicklung	RKBL-306-206X30-4
306,0	254,0	2,0	203	Abwicklung	RKBL-306-254X20-4
306,0	254,0	3,0	203	Abwicklung	RKBL-306-254X30-4
306,0	256,0	3,0	203	Abwicklung	RKBL-306-256X30-4
308,0	208,0	4,0	203	Abwicklung	RKBL-308-208X40-4
308,0	258,0	4,0	203	Abwicklung	RKBL-308-258X40-4
354,0	204,0	2,0	330	Abwicklung	RKBL-354-204X20-4
354,0	254,0	2,0	330	Abwicklung	RKBL-354-254X20-4
354,0	304,0	2,0	330	Abwicklung	RKBL-354-304X20-4
354,0	304,0	3,0	330	Abwicklung	RKBL-354-304X30-4
356,0	156,0	3,0	356	Abwicklung	RKBL-356-156X30-4
356,0	204,0	2,0	330	Abwicklung	RKBL-356-204X20-4
356,0	206,0	3,0	330	Abwicklung	RKBL-356-206X30-4
356,0	254,0	3,0	330	Abwicklung	RKBL-356-254X30-4
356,0	256,0	3,0	330	Abwicklung	RKBL-355-256X30-4
356,0	256,0	3,0	330	Abwicklung	RKBL-356-256X30-4
356,0	256,0	4,0	330	Abwicklung	RKBL-356-256X40-4
356,0	306,0	3,0	330	Abwicklung	RKBL-356-306X30-4
356,0	308,0	3,0	330	Abwicklung	RKBL-356-308X30-4
360,0	254,0	2,0	330	Abwicklung	RKBL-360-254X20-4
360,0	260,0	5,0	330	Abwicklung	RKBL-360-260X50-4

D	D2	s	L	Ausf	Art.-Nr.
400,0	300,0	3,0	356	Abwicklung	RKBL-400-300X30-4
406,0	154,0	4,0	356	Abwicklung	RKBL-406-154X40-4
406,0	204,0	2,0	356	Abwicklung	RKBL-406-204X20-4
406,0	250,0	3,0	356	Abwicklung	RKBL-406-250X30-4
406,0	254,0	2,0	356	Abwicklung	RKBL-406-254X20-4
406,0	256,0	3,0	356	Abwicklung	RKBL-406-256X30-4
406,0	304,0	2,0	356	Abwicklung	RKBL-406-304X20-4
406,0	306,0	3,0	356	Abwicklung	RKBL-406-306X30-4
406,0	358,0	4,0	356	Abwicklung	RKBL-406-358X40-N
406,4	206,0	3,0	356	Abwicklung	RKBL-406-206X30-4
410,0	310,0	5,0	356	Abwicklung	RKBL-410-310X50-4
410,0	360,0	5,0	356	Abwicklung	RKBL-410-360X50-4
454,0	254,0	2,0	381	Abwicklung	RKBL-454-254X20-4
454,0	304,0	2,0	381	Abwicklung	RKBL-454-304X20-4
454,0	404,0	2,0	381	Abwicklung	RKBL-454-404X20-4
456,0	206,0	3,0	381	Abwicklung	RKBL-456-206X30-4
456,0	256,0	3,0	381	Abwicklung	RKBL-456-256X30-4
456,0	304,0	3,0	381	Abwicklung	RKBL-456-304X30-4
456,0	306,0	3,0	381	Abwicklung	RKBL-456-306X30-4
458,0	308,0	4,0	381	Abwicklung	RKBL-458-308X40-4
458,0	358,0	4,0	381	Abwicklung	RKBL-458-358X40-4
460,0	360,0	5,0	381	Abwicklung	RKBL-460-360X50-4
460,0	410,0	2,0	381	Abwicklung	RKBL-460-410X50-4
506,0	206,0	3,0	508	Abwicklung	RKBL-506-206X30-4
506,0	256,0	3,0	508	Abwicklung	RKBL-506-256X30-4
506,0	306,0	3,0	508	Abwicklung	RKBL-506-306X30-4
508,0	408,0	4,0	508	Abwicklung	RKBL-508-408X40-4
508,0	408,0	5,0	508	Abwicklung	RKBL-508-408X50-4
512,0	362,0	6,0	508	Abwicklung	RKBL-512-362X60-4
512,0	462,0	6,0	508	Abwicklung	RKBL-512-462X60-4
608,0	408,0	4,0	508	Abwicklung	RKBL-608-408X40-4
706,0	256,0	3,0	610	Abwicklung	RKBL-706-256X30-4
706,0	606,0	3,0	610	Abwicklung	RKBL-706-606X30-4
708,0	608,0	4,0	610	Abwicklung	RKBL-708-608X40-4
710,0	250,0	5,0	610	Abwicklung	RKBL-710-250X50-4

available material: 1.4301, 1.4404, 1.4571, V2A

Butt welding fittings › reducers › welded, concentric › special versions › other dimensions

Concetnric reducer

straight

Version
acc. to DIN EN 10253-3
without cylindrical ends
cold reshaped, pressed or made from sheet
surface pickled
material: 1.4307/304L - 1.4571 - 1.4404/316L
primary material certificate acc. to EN 10204/3.1

from in-house production

pressed version

rolled from coil