
short name: GK31*



Glass clamps, cornered with AbZ

Type 31





technical product sheet

Rohr	Н	В	Т	ArtNr.
Ø 33,7	45	45	26,0	EDEL-GKE033T31
Ø 42,4	45	45	26,0	EDEL-GKE042T31
Ø 48,3	45	45	26,0	EDEL-GKE048T31
Ø 60,3	45	45	26,0	EDEL-GKE060T31
flach	45	45	26,0	EDEL-GKE000T31

available material: V4A

Systems > railing construction > glass panel clamps > square > with AbZ > Type 31 (45x45x26)

created 07.04.2024 16:10

2/3





Glass clamp Type 31

with general building regulations approved

Glass thicknesses

ESG*	VSG**	
6,0 mm	6,76 mm	
8,0 mm	8,76 mm	
10,0 mm	9,52 mm	
	10,76 mm	

^{* =} Single-pane safety glass / ** = Laminated safety glass

Information

At this clamp AbZ only without securing pin

No AbZ for corner installation for the connection $\emptyset 33,7$ (Art.No. GKE033T31)

Scope of delivery

Mounting screw M8 x 20

2 Clamping screw M6 x 15

2 Cover platelets

Securing pin: optional*

With securing plate: optionally*

Rubber inserts (adapted to the thickness of the glass)*

* = Please specify the glass thickness when ordering!

created 07.04.2024 16:10



created 07.04.2024 16:10