


hexagon hose nozzle
parallel male thread

[short name: TU.228*](#)




technical product sheet

G	L	l1	di	SW	Art.-Nr.
1/8"	32		4,0	14	TÜ-018-G04
1/8"	36		6,0	14	TÜ-018-G06
1/8"	40		9,0	14	TÜ-018-G09
1/8"	40		10,0	14	TÜ-018-G10
1/8"	40		11,0	14	TÜ-018-G11
1/8"	41		10,0	14	TÜ-018-G10
1/4"	35		4,0	17	TÜ-014-G04
1/4"	40		6,0	17	TÜ-014-G06
1/4"	40		8,0	17	TÜ-014-G08
1/4"	40		9,0	17	TÜ-014-G09
1/4"	40		10,0	17	TÜ-014-G10
1/4"	45		11,0	17	TÜ-014-G11
1/4"	45		13,0	17	TÜ-014-G13
3/8"	40		6,0	22	TÜ-038-G06
3/8"	45		9,0	22	TÜ-038-G09
3/8"	45		11,0	22	TÜ-038-G11
3/8"	45		13,0	22	TÜ-038-G13
3/8"	45		15,0	22	TÜ-038-G15
3/8"	45		16,0	22	TÜ-038-G16
3/8"	48		19,0	22	TÜ-038-G19
1/2"	45		6,0	27	TÜ-012-G06
1/2"	45		6,0	27	TÜ-012-GI6
1/2"	45		8,0	27	TÜ-012-G08
1/2"	45		9,0	27	TÜ-012-G09
1/2"	45		10,0	27	TÜ-012-G10
1/2"	50		11,0	27	TÜ-012-G11
1/2"	50		13,0	27	TÜ-012-G13
1/2"	50		15,0	27	TÜ-012-G15
1/2"	50		16,0	27	TÜ-012-G16
1/2"	50		19,0	27	TÜ-012-G19
1/2"	50		20,0	27	TÜ-012-G20
1/2"	50		25,0	27	TÜ-012-G25
1/2"	50		30,0	27	TÜ-012-G30
1/2"	50	12,0	11,0	27	TÜ-012-G11
5/8"	50		19,0	27	TÜ-058-G19
3/4"	44		22,0	32	TÜ-034-G22

G	L	l1	di	SW	Art.-Nr.
3/4"	55		9,0	32	TÜ-034-G09
3/4"	55		13,0	32	TÜ-034-G13
3/4"	55		16,0	32	TÜ-034-G16
3/4"	55		19,0	32	TÜ-034-G19
3/4"	55		25,0	32	TÜ-034-G25
1"	60		13,0	36	TÜ-100-G13
1"	60		16,0	36	TÜ-100-G16
1"	60		19,0	36	TÜ-100-G19
1"	60		22,0	36	TÜ-100-G22
1"	60		25,0	36	TÜ-100-G25
1"	60		32,0	36	TÜ-100-G32
1 1/4"	75		6,0	46	TÜ-114-G06
1 1/4"	75		13,0	46	TÜ-114-G13
1 1/4"	75		19,0	46	TÜ-114-G19
1 1/4"	75		25,0	46	TÜ-114-G25
1 1/4"	75		30,0	46	TÜ-114-G30
1 1/4"	75		32,0	46	TÜ-114-G32
1 1/4"	75		38,0	46	TÜ-114-G38
1 1/4"	75		40,0	46	TÜ-114-G40
1 1/4"	75		43,0	46	TÜ-114-G43
1 1/2"	80		25,0	55	TÜ-112-G25
1 1/2"	80		30,0	55	TÜ-112-G30
1 1/2"	80		32,0	55	TÜ-112-G32
1 1/2"	80		38,0	55	TÜ-112-G38
1 1/2"	80		40,0	55	TÜ-112-G40
1 1/2"	80	22,0	50,0	55	TÜ-112-G50
2"	85		25,0	65	TÜ-200-G25
2"	85		32,0	65	TÜ-200-G32
2"	85		40,0	65	TÜ-200-G40
2"	85		50,0	65	TÜ-200-G50
2"	85	22,0	50,0	65	TÜ-200-G50
2 1/2"	105	25,0	60,0	85	TÜ-212-G60

available material: 1.4571

Threaded fittings > fittings > PN 10 (ECO-Line) > nozzles > cyl. thread ISO 228



Hose nozzle

with parallel thread

Version

material 1.4307/ 1.4571 - 1.4571/ 1.4404

manufactured from solid material

inspection certificate (APZ) acc. to DIN EN 10204-3.1

Whitworth pipe thread DIN ISO 228-G / BSPP (British Standard Pipe Parallel)

