


Rohrbogen 90°, geschliffen

[Kurzbezeichnung: BG.*](#)

Typ 3 geschw. DIN 2605



Technisches Produktblatt

D	s	r	K	Art.-Nr.
12,0	1,5	20,0	240	BG-012-015
18,0	2,0	22,5	240	BG-018-020
20,0	2,0	25,0	240	BG-020-020
21,3	2,0	26,0	240	BG-021-020
21,3	2,0	26,0	320	BG-021-320
23,0	1,5	25,0	240	BG-023-015
25,0	2,0	27,5	240	BG-025-020
26,9	2,0	29,0	240	BG-026-020
26,9	2,6	28,5	240	BG-026-026
26,9	2,6	29,0	240	BG-026-026
28,0	1,5	32,5	240	BG-028-015
28,0	2,0	31,5	240	BG-028-020
30,0	2,0	33,5	240	BG-030-020
33,7	2,0	38,0	240	BG-033-020
33,7	2,0	38,0	320	BG-033-320
33,7	2,6	38,0	240	BG-033-026
33,7	3,2	38,0	240	BG-033-032
35,0	1,5	45,0	240	BG-035-015
35,0	2,0	45,0	240	BG-035-020
38,0	2,0	45,0	240	BG-038-020
40,0	2,0	45,0	240	BG-040-020
42,4	2,0	47,5	240	BG-042-020
42,4	2,0	47,5	320	BG-042-320
42,4	2,5	47,5	240	BG-042-025
42,4	2,6	47,2	240	BG-042-026
42,4	2,6	47,5	240	BG-042-026
42,4	3,0	47,5	240	BG-042-030
42,4	3,2	47,5	240	BG-042-032
43,0	1,5	47,5	240	BG-043-015
44,5	2,0	51,0	240	BG-044-020
44,5	2,6	51,0	240	BG-044-026
48,3	1,6	57,0	240	BG-048-016
48,3	2,0	57,0	240	BG-048-020
48,3	2,0	57,0	320	BG-048-320
48,3	2,6	57,0	240	BG-048-026
48,3	2,6	57,0	320	BG-048-326

D	s	r	K	Art.-Nr.
48,3	3,0	57,0	240	BG-048-030
48,3	3,2	57,0	240	BG-048-032
48,3	3,6	57,0	240	BG-048-036
50,0	2,0	71,0	240	BG-050-020
51,0	2,0	67,5	240	BG-051-020
60,3	2,0	76,0	240	BG-060-020
60,3	2,0	76,0	320	BG-060-320
60,3	2,6	76,0	240	BG-060-026
60,3	2,9	76,0	240	BG-060-029
60,3	3,0	76,0	240	BG-060-030
63,0	1,6	82,5	240	BG-063-016
63,5	1,6	82,5	240	BG-063-016
70,0	2,0	92,0	240	BG-070-020
70,0	3,0	92,0	240	BG-070-030
76,1	2,0	95,0	240	BG-076-020
76,1	2,6	95,0	240	BG-076-026
76,1	2,9	95,0	240	BG-076-029
76,1	3,2	95,0	240	BG-076-032
76,1	3,6	95,0	240	BG-076-036
80,0	2,0	120,0	240	BG-080-020
84,0	2,0	105,0	240	BG-084-020
88,9	2,0	114,5	240	BG-088-020
101,6	2,0	133,5	240	BG-101-020
104,0	2,0	150,0	240	BG-104-020
114,3	2,9	152,5	240	BG-114-029
114,3	3,0	152,5	240	BG-114-030
129,0	2,0	187,5	240	BG-129-020
139,7	2,0	190,5	240	BG-139-020
139,7	2,6	190,5	240	BG-139-026
154,0	2,0	225,0	240	BG-154-020
168,3	3,0	228,0	240	BG-168-030
204,0	2,0	300,0	240	BG-204-020
219,1	2,0	305,0	240	BG-219-020
254,0	2,0	375,0	240	BG-254-020

Verfügbare Werkstoffe: 1.4307, 1.4541, 1.4571, 316L

Schweißfittings > Rohrbogen > geschweißt > Dekorations-Bogen > geschliffen > Typ 3 (r=1,5xD) > 90°

*Tipp: Die Eingabe der [Kurzbezeichnung](#) in das Suchfeld auf unserer Website ermöglicht Ihnen den Direktaufruf einer Artikelgruppe. Alternativ [hier klicken](#)

