


Handrail
ready for installation

[short name: EDEL-FH*](#)




technical product sheet

Rohr	Ausf	L	L2	A	kg	Art.-Nr.
Ø 42,4 x 2,0	2 Handlaufhalter	1000	120		2,600	EDEL-FH1000
Ø 42,4 x 2,0	2 Handlaufhalter	1200	120		3,000	EDEL-FH1200
Ø 42,4 x 2,0	3 Handlaufhalter	1500	120	630	3,850	EDEL-FH1500
Ø 42,4 x 2,0	3 Handlaufhalter	1800	150	750	4,450	EDEL-FH1800
Ø 42,4 x 2,0	3 Handlaufhalter	2000	150	850	4,850	EDEL-FH2000

available material: ask

Systems > railing construction > handrail brackets and supports > individual parts > handrails ready for use

full description: Handrail
ready for installation



Glass or sheet metal thicknesses

Type 14

Single-pane safety glass*	Laminated safety glass**
8.0 mm	8.76 mm
10.0 mm	9.52 mm
12.0 mm	10.76 mm
	11.52 mm
	12.76 mm

Type 15

Single-pane safety glass*	Laminated safety glass**
8.0 mm	8.76 mm
10.0 mm	9.52 mm
12.0 mm	10.76 mm
	11.52 mm
	12.76 mm
	13.52 mm
	16.76 mm
	17.52 mm

* = Single-pane safety glass; ** = Laminated safety glass

Version and area of application

Material	Surface	Inside	Outside
V4A (AISI 316)	ground	X	X

Scope of delivery

incl.:

Mounting screw M8 x 20

2 Clamping screw M6 x 15

2 Cover platelets

Floor for anti-slip protection (optional)*

Rubber inserts (adapted to the thickness of the glass)**

* = Please order separately.

** = Please specify when ordering!

