


reducing tee, 150 lbs (PN 10)

[short name: NPT.RT*](#)



technical product sheet

NPT	NPT2	D	D2	A	L	V-Steg
1/4"	1/8"	18,5	15,0	18,5	39,0	Ja
3/8"	1/8"	22,0	18,5	21,0	44,0	Ja
3/8"	1/4"	22,0	18,5	21,5	44,0	Ja
1/2"	1/8"	28,0	15,0	23,5	53,5	Ja
1/2"	1/4"	28,0	18,5	23,0	53,5	Ja
1/2"	3/8"	28,0	22,0	25,0	53,5	Ja
3/4"	1/8"	33,0	15,0	26,0	59,0	Ja
3/4"	1/4"	33,0	18,5	25,5	59,0	Ja
3/4"	3/8"	33,0	22,0	27,5	59,0	Ja
3/4"	1/2"	33,0	28,0	30,5	59,0	Ja
1"	1/4"	40,5	18,5	30,0	70,0	Ja
1"	3/8"	40,5	22,0	31,5	70,0	Ja
1"	1/2"	40,5	27,0	34,0	70,0	Ja
1"	3/4"	40,5	33,0	36,0	70,0	Ja
1 1/4"	3/8"	49,0	22,0	36,5	86,0	Ja
1 1/4"	1/2"	49,0	28,0	38,0	86,0	Ja
1 1/4"	3/4"	49,0	33,0	40,5	86,0	Ja
1 1/4"	1"	49,0	40,5	42,0	86,0	Ja
1 1/2"	1/2"	56,0	28,0	42,0	89,0	Ja
1 1/2"	3/4"	56,0	33,0	44,0	89,0	Ja
1 1/2"	1"	56,0	40,5	46,0	89,0	Ja
1 1/2"	1 1/4"	56,0	49,0	49,0	89,0	Ja
2"	3/4"	68,0	33,0	49,0	108,0	Ja
2"	1"	68,0	40,5	53,0	108,0	Ja
2"	1 1/4"	68,0	49,0	55,5	108,0	Ja
2"	1 1/2"	68,0	56,0	56,5	108,0	Ja

available material: ask

Threaded fittings > fittings > PN 10 (ECO-Line) > ...with NPT-thread > tees, Y-tees, crosses > reducing tees