


přímé vešroubovací šroubení

[zkratka označení: GE.R*](#)

DIN 2353, EN ISO 8434-1



technický list výrobku

Reihe	R	D	PN	L	L2	L3	SW	SW2	kg	Art.-Nr.
leicht	1/8"	6	315	30	8	15,5	12	14	0,025	2353-GE06LR01
leicht	1/8"	8	315	31	8	18,0	17	17	0,039	2353-GE08LR01
leicht	1/8"	10	315	31	8	16,0	19	19	0,040	2353-GE10LR01
leicht	1/4"	6	315	35	12	20,5	17	14	0,032	2353-GE06LR02
leicht	1/4"	8	315	35	12	20,0	17	17	0,040	2353-GE08LR02
leicht	1/4"	10	315	36	12	21,0	17	19	0,060	2353-GE10LR02
leicht	1/4"	12	315	37	12	22,0	19	22	0,050	2353-GE12LR02
leicht	1/4"	15	315	38	12	23,0	24	27	0,120	2353-GE15LR02
leicht	3/8"	6	315	38	12	23,5	19	14	0,051	2353-GE06LR03
leicht	3/8"	8	315	37	12	21,0	19	17	0,053	2353-GE08LR03
leicht	3/8"	10	315	36	12	21,0	19	19	0,052	2353-GE10LR03
leicht	3/8"	12	315	37	12	22,0	19	22	0,062	2353-GE12LR03
leicht	3/8"	15	315	38	12	23,0	24	27	0,097	2353-GE15LR03
leicht	3/8"	22	160	42	12	25,5	32	36	0,200	2353-GE22LR03
leicht	1/2"	6	315	38	14	23,5	22	14	0,094	2353-GE06LR04
leicht	1/2"	8	315	37	14	22,0	22	17	0,043	2353-GE08LR04
leicht	1/2"	10	315	38	14	23,0	22	19	0,070	2353-GE10LR04
leicht	1/2"	12	315	39	14	24,0	24	22	0,078	2353-GE12LR04
leicht	1/2"	15	315	40	14	25,0	24	27	0,120	2353-GE15LR04
leicht	1/2"	18	315	42	14	25,5	27	32	0,144	2353-GE18LR04
leicht	1/2"	22	160	44	14	27,5	32	36	0,180	2353-GE22LR04
leicht	3/4"	12	315	42	16	27,0	30	22	0,106	2353-GE12LR06
leicht	3/4"	18	315	43	16	26,5	27	32	0,161	2353-GE18LR06
leicht	3/4"	22	160	46	16	29,5	32	36	0,196	2353-GE22LR06
leicht	1"	28	160	49	18	32,5	41	41	0,272	2353-GE28LR08
leicht	1"	35	160	52	18	30,5	46	50	0,408	2353-GE35LR08
leicht	1 1/4"	35	160	56	20	34,5	46	50	0,412	2353-GE35LR10
leicht	1 1/4"	42	160	59	20	36,0	55	60	0,000	2353-GE42LR10
leicht	1 1/2"	42	160	61	22	38,0	55	60	1,348	2353-GE42LR12
schwer	1/8"	6	630	36	8	20,0	17	17	0,000	2353-GE06SR01
schwer	1/4"	6	630	38	12	23,0	17	17	0,054	2353-GE06SR02
schwer	1/4"	8	630	38	12	23,0	17	19	0,075	2353-GE08SR02
schwer	1/4"	10	630	41	12	25,0	22	22	0,175	2353-GE10SR02
schwer	3/8"	10	630	39	12	22,0	19	22	0,074	2353-GE10SR03
schwer	3/8"	12	630	42	12	26,0	22	24	0,136	2353-GE12SR03
schwer	3/8"	14	630	45	12	27,0	24	27	0,000	2353-GE14SR03

Reihe	R	D	PN	L	L2	L3	SW	SW2	kg	Art.-Nr.
schwer	1/2"	10	630	43	14	27,0	24	22	0,110	2353-GE10SR04
schwer	1/2"	12	630	44	14	28,0	24	24	0,116	2353-GE12SR04
schwer	1/2"	14	630	47	14	28,0	24	27	0,118	2353-GE14SR04
schwer	1/2"	16	400	48	14	29,5	27	30	0,148	2353-GE16SR04
schwer	1/2"	20	400	54	14	32,5	32	36	0,271	2353-GE20SR04
schwer	3/4"	20	400	54	16	32,5	32	36	0,280	2353-GE20SR06
schwer	1"	25	400	64	18	38,0	41	46	0,520	2353-GE25SR08
schwer	1"	30	400	62	18	35,5	46	50	0,603	2353-GE30SR08
schwer	1 1/4"	30	400	71	20	44,5	46	50	0,000	2353-GE30SR10
schwer	1 1/2"	38	250	76	22	45,0	55	60	1,293	2353-GE38SR12

dostupné jakosti: 1.4571

Systemy > zářezné kroužky > přímé šroubovací spojky > vnější šroubení > kužel. závit "R"

