

Pressing Unit ACO403 BT

[zkratka označení: ACO403\\*](#)

&lt;novopress&gt;

portable set with 2 batteries  
& recharger CLi12-18C 230V

### technický list výrobku

	Ausf	L	B	H	kg	Art.-Nr.
2x Akku 18V/ 5,0Ah Milwaukee		650	95	320	20,410	PRFI-PG-ACO403

dostupné jakosti: na poptávku

Systeme &gt; Pressfittings &gt; Presswerkzeuge &gt; Maschinen &gt; ACO 403 BT



## Pressing Unit ACO403

*novopress*

### portable box set

1 Pressing Unit ACO403 BT (bluetooth)

with 2 batteries M18B5 5,0Ah und recharger device 230V 50-60 Hz

NOT included: jaws collars or rather press collars

available as a purchase or rental device

Features	Technical data
Dimension	76,1 up to 168,3 mm
Power consumption	450 W
Piston force	120 kN
Piston stroke	60 mm
Battery	18 V Li-Ion / 5,0 Ah Milwaukee
Battery capacity	up to 30 pressing cycles
Charging time	60 - 75 min.

### Tool features

- High press force - powerful for large pipe dimensions
- Battery status indicator (capacity can be controlled anytime)
- Analysis of the pressing tool performance via NovoCheck-App

## Highly Efficient Powerhouse

With a pressing force of 120 kN and a working stroke of 60 mm, the pressing unit ACO403 provides sufficient energy for special applications with larger pipe dimensions.

Sprinkler installations, fire-extinguishing systems or special industrial systems with dimensions from 76.1 to 168.3 mm do not pose any problem for the ACO403. Due to the powerful, rechargeable lithium-ion batteries, 20 - 30 press cycles can be carried out without recharging the battery.

The innovative Brushless Motor Technology is impressive with its high performance and its low need for maintenance.

Thanks to the ergonomic handles, the unit lies safe in the hand, so that it is no problem to work even under a hall ceiling. Due to the rotatable head with a firmly mounted adaptor-jaw, the unit can be applied even at hardly accessible pressing points.

Thanks to the new, implemented wireless technology, device-related data can be requested via the NovoCheck app.

